



## End-to-End Cold Chain Monitoring

Track the temperatures of individual products, packets and palettes over their complete logistic chain with Intellilog



The all-in-one solution, with logger, app and cloud!



## What is Intellilog

Intellilog is a data logger in the format of a visiting card which can be mounted close to or directly onto a product, activated by the sender and read by a receiver using any NFC enabled smartphone. The temperatures of the monitored goods that were recorded since activation are displayed on the smartphone app thus enabling any deviation of the predetermined temperature to be monitored and backtracked.



### Flat

Because of its flat design it can be attached like a label



### Flexible

The flexible logger can also be attached to curved surfaces



## The Intellilog Reader

In order to read data from the Intellilog logger, you only need to install the App on your Smartphone which is available for downloading absolutely free of cost. When the smartphone is now placed close to the logger, data will be transferred to the App and displayed there. Important details regarding the progress of the temperatures along the logistic chain can be captured at a glance and instant decisions can be taken.



### Self-adhesive

Can be stuck to the product preventing wilful and wanton removal of the same



### NFC

Can be read using every NFC-enabled Smartphone



## The Intellilog Manager

The Intellilog Manager is a web-based solution with which the data that is captured can be consolidated and centrally administered. You simply have to register and will be ready in just a few minutes. A range of useful functionalities to process and analyse your data are expecting you – convince yourself – and your data is protected according to the German Data Protection Law.



### Mass assembly

Direct attachment using a labelling machine enabled mass assembly



### Low-priced

Due to our unique manufacturing process Intellilog can be offered a highly competitive price


## Intellilog Logger Facts

Storage	5000 Readings
Battery	12 Months
Temperature range	-20 to +50 °C
HCCP compliant	Yes
Antimicrobial	Optional
Protection class	IP67
Log interval	Between 1 sec. and 9 hours

## Intellilog Manager Facts

Server location	Deutschland
User management	Yes
Information sharing	Rule based (between companies)
Multilingual	German, English (more on request)
PDF, Excel export	Yes
Part 21 CFR Part 11	Yes

*Please contact us for more options.*



### Perfect for Packaging!

Intellilog is a great option for manufacturers of packaging who want incorporate temperature monitoring in their products. Due to its size and flexibility, Intellilog can be integrated easily - without being visible from the outside!